

2027年度向け 容量市場追加オークション用調整係数

2026年3月11日更新
電力広域的運営推進機関

<変動電源：太陽光>

	北海道	東北	東京	中部	北陸	関西	中国	四国	九州
年間	3.74131240634280%	11.68362159990430%	9.84993294134925%	12.07254750141810%	17.39848002496900%	13.40740623380820%	14.04952544329790%	16.35670219347810%	8.13956692634429%

<変動電源：風力>

	北海道	東北	東京	中部	北陸	関西	中国	四国	九州
年間	23.79050763240430%	34.05237980808760%	25.76904564129950%	30.18096056973090%	23.04203848861970%	29.56952271345390%	20.98473026094560%	34.38778260540520%	20.05084688412480%

<変動電源：一般水力（自流式）>

	北海道	東北	東京	中部	北陸	関西	中国	四国	九州
年間	42.98337561672330%	58.45238595463980%	52.36501331273530%	49.95101319016460%	55.82217574596570%	51.77862610468590%	42.76614478488640%	51.78437481463860%	36.77841815200320%

<発動指令電源>

	北海道	東北	東京	中部	北陸	関西	中国	四国	九州
年間	56.64028750751750%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	92.80911973455940%

※メインオークションの際に事後的に算定した調整係数を用いる

2027年度向け 容量市場追加オークション用調整係数

2026年3月11日更新
電力広域的運営推進機関

<安定電源：純揚水、蓄電池 北海道エリア>

	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	
20h以上	98.74165574993440%	92.36488903567940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	97.23075818635460%	97.82508071785280%	97.02358443097510%	99.88184853863920%	99.09549121202390%
19h	98.74165574993440%	92.36488903567940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	97.23075818635460%	97.82508071785280%	97.02358443097510%	99.88184853863920%	99.09549121202390%
18h	98.74165574993440%	92.36488903567940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	97.23075818635460%	97.82508071785280%	97.02358443097510%	99.88184853863920%	99.09549121202390%
17h	98.74165574993440%	92.36488903567940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	97.23075818635460%	97.82508071785280%	97.02358443097510%	99.88184853863920%	99.09549121202390%
16h	98.74165574993440%	92.36488903567940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	97.23075818635460%	97.82508071785280%	97.02358443097510%	99.88184853863920%	99.09549121202390%
15h	98.74165574993440%	92.36488903567940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	97.23075818635460%	97.82508071785280%	97.02358443097510%	99.88184853863920%	99.09549121202390%
14h	98.74165574993440%	92.36488903567940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	97.23075818635460%	97.82508071785280%	97.02358443097510%	99.88184853863920%	99.09549121202390%
13h	98.74165574993440%	92.36488903567940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	97.23075818635460%	97.82508071785280%	96.98489257175940%	99.88184853863920%	99.09549121202390%
12h	98.74165574993440%	92.36488903567940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	97.23075818635460%	97.82508071785280%	96.42319662997800%	99.88184853863920%	99.09549121202390%
11h	98.74165574993440%	92.19520920857500%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	97.23075818635460%	97.62526063587640%	95.33849660563110%	99.88184853863920%	99.09549121202390%
10h	98.30002171348780%	91.35232414213370%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	96.91204660133400%	96.66489025974070%	93.73079249871840%	99.41032175279110%	99.03402880492190%
9h	97.01289977253990%	89.83623383635570%	98.75231417263010%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	95.77906606217690%	94.94396958944570%	91.60008430924020%	97.90145848201490%	97.91091893408110%
8h	94.88028992709080%	87.64693829124080%	96.29928415569660%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.28027063793970%	93.83181656888330%	92.46249862499130%	88.94637203719630%	95.35525872631060%	95.72616159950170%
7h	91.90219217714040%	84.78443750678910%	92.68712233235710%	98.16937138405530%	99.05892511081070%	97.62014495812790%	96.73951419593790%	91.07029812145330%	89.22047736637760%	85.76965568258680%	91.77172248567830%	92.47975680118360%	
6h	88.07860652268870%	81.24873148300050%	87.91582870261160%	94.07360482034010%	95.35706464026900%	93.99489092644000%	93.03429545559910%	87.49451071988690%	85.21790581360450%	82.06993524541160%	87.15084976011800%	88.17170453912680%	
5h	83.40953296373570%	77.03982021987520%	81.98540326646010%	88.62368040179620%	90.37660285823150%	89.24744786887130%	88.16461441692320%	83.10445436418400%	80.45478396667210%	77.84721072567080%	81.49264054962960%	82.80200481333130%	
4h	77.89497150028150%	72.15770371741300%	74.89584602390250%	81.81959812842360%	84.11753976469840%	83.37781578542170%	82.13047107991030%	77.90012905434460%	74.93111182558040%	73.10148212336440%	74.79709485421310%	76.37065762379710%	
3h	71.53492213232600%	66.60238197561400%	66.64715697493890%	73.6613580022230%	76.57987535966950%	76.38599467609130%	74.93186544456030%	71.88153479036870%	68.64688939032930%	67.83274943849240%	67.06421267386870%	68.87766297052430%	

<安定電源：純揚水、蓄電池 東北エリア>

	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	
20h以上	99.23782271707290%	93.62022097699110%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58303325800100%	99.06270202831890%	99.63913432500400%	99.83252842662060%	98.49369268410790%
19h	99.23782271707290%	93.62022097699110%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58303325800100%	99.06270202831890%	99.63913432500400%	99.83252842662060%	98.49369268410790%
18h	99.23782271707290%	93.62022097699110%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58303325800100%	99.06270202831890%	99.63913432500400%	99.83252842662060%	98.49369268410790%
17h	99.23782271707290%	93.62022097699110%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58303325800100%	99.06270202831890%	99.63913432500400%	99.83252842662060%	98.49369268410790%
16h	99.23782271707290%	93.62022097699110%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58303325800100%	99.06270202831890%	99.63913432500400%	99.83252842662060%	98.49369268410790%
15h	99.23782271707290%	93.62022097699110%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58303325800100%	99.06270202831890%	99.63913432500400%	99.83252842662060%	98.49369268410790%
14h	99.23782271707290%	93.62022097699110%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58303325800100%	99.06270202831890%	99.63913432500400%	99.83252842662060%	98.49369268410790%
13h	99.23782271707290%	93.62022097699110%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58303325800100%	99.06270202831890%	99.63913432500400%	99.83252842662060%	98.49369268410790%
12h	99.23782271707290%	93.62022097699110%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58303325800100%	99.06270202831890%	99.63913432500400%	99.83252842662060%	98.49369268410790%
11h	99.23782271707290%	93.51549232047610%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58303325800100%	99.06270202831890%	99.31421565107470%	99.74855326953100%	98.49369268410790%
10h	98.74980524450970%	92.99140456989520%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58303325800100%	98.54061723175220%	98.49999801276950%	99.04927671095240%	98.19271268782600%
9h	97.73539413270610%	92.04795772524830%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	98.96221284161200%	97.34283941469960%	97.19648141008840%	97.73469875088480%	97.36535323584700%
8h	96.19458938166200%	90.68515178653540%	98.38389916320930%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	97.65620858729730%	95.46936857716110%	95.40366584303140%	95.80481938932820%	96.01161432817090%
7h	94.12739099137750%	88.90298675375650%	95.7089890678140%	99.97901628056110%	99.81308300252090%	98.36839548683610%	98.99643652515420%	95.66502049505670%	92.92020471913670%	93.12155131159850%	93.25963862628270%	94.13149596479780%	
6h	91.53379896185250%	86.70146262691170%	92.02879712416890%	97.37603567361350%	97.38287615642310%	95.12431810296850%	96.45664714415270%	92.98864856489040%	89.69534784062640%	90.35013781578960%	90.09915646174810%	91.72499814572750%	
5h	88.41381329308710%	84.08057940600090%	87.34332081537190%	93.81187712663490%	94.07288020484070%	90.82661551039860%	93.06755946636020%	89.62709279679820%	85.79479794163030%	87.08942535560490%	86.3237289572460%	88.79212087096010%	
4h	84.76743398508120%	81.04033709102420%	81.65256098039040%	89.28654063962540%	89.88309514777370%	85.47528770912660%	88.82917349177670%	85.58035319078030%	81.21855502214830%	83.33941393104420%	81.93228792821200%	85.33286414049560%	
3h	80.59466103783490%	77.58073568198140%	74.95651761922430%	83.80002621258490%	84.81352098522200%	79.07033469915230%	83.74148922040210%	80.84842974683670%	75.96661908218040%	79.10010354210760%	76.92590155921050%	81.34722795433400%	

<安定電源：純揚水、蓄電池 東京エリア>

	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	
20h以上	99.66225426787660%	90.51816238566120%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.56807748890760%	99.47134666512070%	99.62050680739350%	100.00000000000000%	99.14466815658420%
19h	99.6												

2027年度向け 容量市場追加オークション用調整係数

2026年3月11日更新
電力広域的運営推進機関

<安定電源：純揚水、蓄電池 中部エリア>

	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	
20h以上	99.31862267371240%	93.75652194735260%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.82110969181890%	99.54059531497370%	99.54182021668670%	99.68976788681970%	99.31261211689590%
19h	99.31862267371240%	93.75652194735260%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.82110969181890%	99.54059531497370%	99.54182021668670%	99.68976788681970%	99.31261211689590%
18h	99.31862267371240%	93.75652194735260%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.82110969181890%	99.54059531497370%	99.54182021668670%	99.68976788681970%	99.31261211689590%
17h	99.31862267371240%	93.75652194735260%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.82110969181890%	99.54059531497370%	99.54182021668670%	99.68976788681970%	99.31261211689590%
16h	99.31862267371240%	93.75652194735260%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.82110969181890%	99.54059531497370%	99.54182021668670%	99.68976788681970%	99.31261211689590%
15h	99.31862267371240%	93.75652194735260%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.82110969181890%	99.54059531497370%	99.54182021668670%	99.68976788681970%	99.31261211689590%
14h	99.31862267371240%	93.75652194735260%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.82110969181890%	99.54059531497370%	99.54182021668670%	99.68976788681970%	99.31261211689590%
13h	99.31862267371240%	93.75652194735260%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.82110969181890%	99.54059531497370%	99.54182021668670%	99.68976788681970%	99.31261211689590%
12h	99.31862267371240%	93.75652194735260%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.82110969181890%	99.54059531497370%	99.54182021668670%	99.68976788681970%	99.31261211689590%
11h	99.31862267371240%	93.75652194735260%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.82110969181890%	99.54059531497370%	99.54182021668670%	99.68976788681970%	99.31261211689590%
10h	99.01141298300930%	93.61171511064440%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.82110969181890%	99.15370388911640%	99.11026388083550%	99.26940803838960%	99.31261211689590%
9h	98.06170513245260%	92.68798650135440%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.24133870355590%	97.93209413232690%	97.57242765029230%	98.01331645404190%	98.57176374653680%
8h	96.46949912204260%	90.98533611948240%	98.88057127363930%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	97.89857517486360%	95.87576604460520%	94.92831152505700%	95.92149313377660%	97.04774730378810%
7h	94.23479495177910%	88.50376396502870%	95.52959114710470%	100.00000000000000%	99.93504519606520%	98.03309189488350%	99.09548880574400%	95.79281910574190%	92.98471962595130%	91.17791550512970%	92.99393807759370%	94.74056278864990%	97.04774730378810%
6h	91.35759262166210%	85.24327003799300%	90.80228187744620%	97.11979044084000%	96.44669835066950%	94.08871061876440%	96.26557817646210%	92.92407049619090%	89.25895487636520%	86.32123959051020%	89.23065128549320%	91.65021020112210%	97.04774730378810%
5h	87.83789213169180%	81.20385433837550%	84.69864346466380%	93.11457833344130%	91.67065217953180%	88.86297552601480%	92.46807966236310%	89.29232934621060%	84.69847179584700%	80.35828378119870%	84.63163275747510%	87.77668954120470%	97.04774730378810%
4h	83.67569348186790%	76.38551686617610%	77.21867590875750%	88.02381838027190%	85.60690668265210%	82.35588661663500%	87.70299326344690%	84.89759565580090%	79.30327038439650%	73.28904807719520%	79.19688249353950%	83.12000080889770%	97.04774730378810%
3h	78.87099667219070%	70.78825762139490%	68.36237920972740%	81.84751058133190%	78.25546186003030%	74.56744389062480%	81.97031897971360%	79.73986942496190%	73.07335064201390%	65.11353247849960%	72.92640049368620%	77.68014400420120%	97.04774730378810%

<安定電源：純揚水、蓄電池 北陸エリア>

	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月
20h以上	99.38880905659270%	93.93647602561910%	100.00000000000000%	100.00000000000000%	98.01389326117550%	100.00000000000000%	100.00000000000000%	99.52443719633450%	99.30862311979540%	99.29398633355610%	99.88902615558270%	99.47759811418360%
19h	99.38880905659270%	93.93647602561910%	100.00000000000000%	100.00000000000000%	98.01389326117550%	100.00000000000000%	100.00000000000000%	99.52443719633450%	99.30862311979540%	99.29398633355610%	99.88902615558270%	99.47759811418360%
18h	99.38880905659270%	93.93647602561910%	100.00000000000000%	100.00000000000000%	98.01389326117550%	100.00000000000000%	100.00000000000000%	99.52443719633450%	99.30862311979540%	99.29398633355610%	99.88902615558270%	99.47759811418360%
17h	99.38880905659270%	93.93647602561910%	100.00000000000000%	100.00000000000000%	98.01389326117550%	100.00000000000000%	100.00000000000000%	99.52443719633450%	99.30862311979540%	99.29398633355610%	99.88902615558270%	99.47759811418360%
16h	99.38880905659270%	93.93647602561910%	100.00000000000000%	100.00000000000000%	98.01389326117550%	100.00000000000000%	100.00000000000000%	99.52443719633450%	99.30862311979540%	99.29398633355610%	99.88902615558270%	99.47759811418360%
15h	99.38880905659270%	93.93647602561910%	100.00000000000000%	100.00000000000000%	98.01389326117550%	100.00000000000000%	100.00000000000000%	99.52443719633450%	99.30862311979540%	99.29398633355610%	99.88902615558270%	99.47759811418360%
14h	99.38880905659270%	93.93647602561910%	100.00000000000000%	100.00000000000000%	98.01389326117550%	100.00000000000000%	100.00000000000000%	99.52443719633450%	99.30862311979540%	99.29398633355610%	99.88902615558270%	99.47759811418360%
13h	99.38880905659270%	93.93647602561910%	100.00000000000000%	100.00000000000000%	98.01389326117550%	100.00000000000000%	100.00000000000000%	99.52443719633450%	99.30862311979540%	99.29398633355610%	99.88902615558270%	99.47759811418360%
12h	99.38880905659270%	93.79094872811280%	100.00000000000000%	100.00000000000000%	98.01389326117550%	100.00000000000000%	100.00000000000000%	99.52443719633450%	99.30862311979540%	99.29398633355610%	99.88902615558270%	99.47759811418360%
11h	99.36257129575590%	93.36115024770840%	100.00000000000000%	100.00000000000000%	98.01389326117550%	100.00000000000000%	100.00000000000000%	99.52443719633450%	99.30862311979540%	99.29398633355610%	99.46958734184230%	99.47759811418360%
10h	98.83923406944440%	92.64708058440580%	100.00000000000000%	100.00000000000000%	98.01389326117550%	100.00000000000000%	100.00000000000000%	99.42780746682520%	99.30862311979540%	98.68723606089290%	98.56821742476460%	99.40469429139180%
9h	97.81879737765830%	91.64873973820500%	100.00000000000000%	100.00000000000000%	98.01389326117550%	100.00000000000000%	100.00000000000000%	98.74906951611380%	98.50281599178830%	97.37051265246700%	97.18491640434950%	98.63793683339740%
8h	96.30126122039750%	90.36612770910600%	99.98263352665190%	100.00000000000000%	97.52534113149440%	100.00000000000000%	100.00000000000000%	97.48822334420020%	96.59609140667460%	95.34381610827840%	95.31968428059710%	97.17732574020030%
7h	94.28662559766210%	88.799244949710890%	95.92027405429020%	100.00000000000000%	96.41906510633970%	98.96397652406110%	98.98792919731060%	95.64526895108430%	93.58844936445430%	92.60714642832700%	92.97252105350730%	95.02286101180060%
6h	91.77489050945200%	86.94809010221360%	89.99770566744550%	96.27584583557100%	94.69506518571110%	92.36894544232140%	96.46839762618320%	93.22020633676630%	89.47988986512760%	89.16050361261290%	90.14342672308020%	92.17454264819810%
5h	88.76605595576730%	84.81266452442010%	82.21492836611780%	90.6400554876830%	92.35334136960890%	83.41658193347120%	93.10717669075270%	90.21303550124610%	84.27041290869430%	85.00388766113610%	86.83240128931580%	88.63237064939300%
4h	85.26012193660790%	82.39296776372850%	72.57194215030720%	83.45455465481300%	89.39389365803290%	72.10688599751040%	88.90426639101900%	86.62375644452360%	77.96001849515450%	80.13729857389650%	83.03944475221400%	84.39634501538530%
3h	81.25708845197390%	79.68899982013870%	61.06874702001350%	74.71949315370510%	85.81672205098320%	58.43985763443910%	83.85966672698210%	82.45236916659900%	70.54870662450810%	74.56073635089420%	78.76455711177490%	79.46646574617490%

<安定電源：純揚水、蓄電池 関西エリア>

	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月
20h以上	99.59378322486760%	93.89865823733480%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.97032540024820%	99.64818835029830%	99.19444660498950%	99.79771323510870%	99.46273919452470%
19h	99.59378322486760%	93.89865823733480%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.97032540024820%	99.64818835029830%	99.19444660498950%	99.79771323510870%	99.46273919452470%

2027年度向け 容量市場追加オークション用調整係数

2026年3月11日更新
電力広域的運営推進機関

<安定電源：純揚水、蓄電池 中国エリア>

	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	
20h以上	99.19922600813250%	93.66509301687940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58278055116160%	99.41466573396180%	99.22807714800450%	99.47088484226080%	99.17144657113020%
19h	99.19922600813250%	93.66509301687940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58278055116160%	99.41466573396180%	99.22807714800450%	99.47088484226080%	99.17144657113020%
18h	99.19922600813250%	93.66509301687940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58278055116160%	99.41466573396180%	99.22807714800450%	99.47088484226080%	99.17144657113020%
17h	99.19922600813250%	93.66509301687940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58278055116160%	99.41466573396180%	99.22807714800450%	99.47088484226080%	99.17144657113020%
16h	99.19922600813250%	93.66509301687940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58278055116160%	99.41466573396180%	99.22807714800450%	99.47088484226080%	99.17144657113020%
15h	99.19922600813250%	93.66509301687940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58278055116160%	99.41466573396180%	99.22807714800450%	99.47088484226080%	99.17144657113020%
14h	99.19922600813250%	93.66509301687940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58278055116160%	99.41466573396180%	99.22807714800450%	99.47088484226080%	99.17144657113020%
13h	99.19922600813250%	93.66509301687940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58278055116160%	99.41466573396180%	99.22807714800450%	99.47088484226080%	99.17144657113020%
12h	99.19922600813250%	93.66509301687940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58278055116160%	99.41466573396180%	99.22807714800450%	99.47088484226080%	99.17144657113020%
11h	99.19922600813250%	93.42097789138030%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58278055116160%	99.41466573396180%	99.22807714800450%	99.47088484226080%	99.17144657113020%
10h	98.70541171811820%	92.81620696005340%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.58278055116160%	98.93371791751950%	98.83609343868300%	98.86464198045350%	98.99974449751010%
9h	97.69830890182960%	91.85078022289860%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	98.94527519262050%	97.74941743370590%	97.52614745829160%	97.58488766827210%	98.19509893995460%
8h	96.17791755926640%	90.52469767991590%	98.48368212139890%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	97.66019025011790%	95.86176428252110%	95.29823920683030%	95.63162190571660%	96.75750989846390%
7h	94.14423769042890%	88.83795933110540%	95.67636392207680%	99.92132418525600%	99.82832518451140%	98.03186019252310%	98.99140554458410%	95.72752572365370%	93.27075846396500%	92.15236868429910%	93.00484469278720%	94.68697737303770%	94.68697737303770%
6h	91.59726929531690%	86.79056517646700%	91.78804366196610%	97.34298946675320%	97.16463986984310%	94.68816782879640%	96.43585351989100%	93.14728161322790%	89.97639997803770%	88.08853589069800%	89.70455602948370%	91.98350136367620%	91.98350136367620%
5h	88.53701237393050%	84.38251521600080%	86.81872134106690%	93.81792636362540%	93.52107389307290%	90.28239446619520%	93.02455314175610%	89.91945791884050%	85.97868882473920%	83.10674082602710%	85.73075591580630%	88.64708187037930%	88.64708187037930%
4h	84.96346692626960%	81.61380944970670%	80.76839695937910%	89.34613487587260%	88.89762725420090%	84.81454010471970%	88.75750441017960%	86.04405464049160%	81.27762500406940%	77.20698349028630%	81.08344435175480%	84.67771889314710%	84.67771889314710%
3h	80.87663295233430%	78.48444787758470%	73.63707051690280%	83.92761500349470%	83.29429995322700%	78.28460474436980%	83.63470732516130%	81.52107177818110%	75.87320851602840%	70.38926388347560%	75.76262133732920%	80.07541243197950%	80.07541243197950%

<安定電源：純揚水、蓄電池 四国エリア>

	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	
20h以上	99.25192945019330%	94.11329839712960%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.52338400938040%	99.37483199442660%	99.30467895752560%	99.66984071275630%	98.92354485508040%
19h	99.25192945019330%	94.11329839712960%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.52338400938040%	99.37483199442660%	99.30467895752560%	99.66984071275630%	98.92354485508040%
18h	99.25192945019330%	94.11329839712960%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.52338400938040%	99.37483199442660%	99.30467895752560%	99.66984071275630%	98.92354485508040%
17h	99.25192945019330%	94.11329839712960%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.52338400938040%	99.37483199442660%	99.30467895752560%	99.66984071275630%	98.92354485508040%
16h	99.25192945019330%	94.11329839712960%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.52338400938040%	99.37483199442660%	99.30467895752560%	99.66984071275630%	98.92354485508040%
15h	99.25192945019330%	94.11329839712960%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.52338400938040%	99.37483199442660%	99.30467895752560%	99.66984071275630%	98.92354485508040%
14h	99.25192945019330%	94.11329839712960%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.52338400938040%	99.37483199442660%	99.30467895752560%	99.66984071275630%	98.92354485508040%
13h	99.25192945019330%	94.10709922064940%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.52338400938040%	99.37483199442660%	99.30467895752560%	99.66984071275630%	98.92354485508040%
12h	99.25192945019330%	93.84561412536580%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.52338400938040%	99.37483199442660%	99.30467895752560%	99.66984071275630%	98.92354485508040%
11h	99.19505696124290%	93.32884311127880%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.52338400938040%	99.37483199442660%	99.29825895504090%	99.45474139324570%	98.92354485508040%
10h	98.65590804483200%	92.55678617838850%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	99.49819671861310%	98.80750164779760%	98.65083546705970%	98.67870536910430%	98.61726679285280%
9h	97.63448270096050%	91.52944332669480%	99.68845814265200%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	98.85751297819940%	97.61271112337060%	97.36240849358190%	97.34173264033200%	97.75817957967420%
8h	96.13078092962860%	90.24681455619770%	98.02725602195780%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%	97.60133278813920%	95.79046042114550%	95.43297803460750%	95.44382320692890%	96.34628321554450%
7h	94.14480273083620%	88.7088986689730%	95.46371401621230%	99.80601554118100%	99.48363817694890%	97.94078243129860%	98.97147070647660%	95.72965614843250%	93.34074954112250%	92.86254409013670%	92.98497706889490%	94.38157770046380%	94.38157770046380%
6h	91.67654810458330%	86.91569925879340%	91.99783212541550%	97.50592416611830%	97.24220304192720%	94.95217168429650%	96.45801145759440%	93.24248305907940%	90.26357848330160%	89.65110666016920%	89.96519422623010%	91.86406303443200%	91.86406303443200%
5h	88.72601705087000%	84.86721273188630%	87.62961034956740%	94.37442042163720%	94.22141236253720%	91.04410982964910%	93.10701447033520%	90.13981352007970%	86.55894724768260%	85.79866574470530%	86.38447467893440%	88.79373921744910%	88.79373921744910%
4h	85.29320956969610%	82.56344028617570%	82.35904868866800%	90.41150430773770%	90.42126613877900%	86.21659686735630%	88.91847974469910%	86.42164753143360%	82.22685583426560%	81.30522134374480%	82.24281842700790%	85.17060624951520%	85.17060624951520%
3h	81.37812566106170%	80.00438192166180%	76.18614714271730%	85.61717582442000%	85.84176437065260%	80.46963279741820%	83.89240728068620%	82.08798509314100%	77.26730424305070%	76.17077345728770%	77.54022547045050%	80.99466413063020%	80.99466413063020%

<安定電源：純揚水、蓄電池 九州エリア>

	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月
20h以上	98.45725240768810%	92.98744968572020%	100.00000000000000%	100.00000000000000%	100.00000000000000%	100.00000000000000%						